

**African Rotavirus Network  
Scientific Presentations 2012**

**7<sup>th</sup> African Rotavirus Symposium**

**Cape Town, South Africa. November 2012**

**(linked to the 1st International African Vaccinology Conference)**

***Symposium proceedings***

Seheri LM, Mwenda JM, Page N. Report of the 7th African Rotavirus Symposium, Cape Town, South Africa, 8th November 2012. *Vaccine* 2014 Nov; **32(48): 6336-41**.

doi: 10.1016/j.vaccine.2014.05.002. Epub 2014 May 14. PMID: 24837779

- Veerle M, Msimang, Page NA, Groome MJ, Moyes J, Cortese M, Seheri ML, Kahn K, Twine R, Chagan M, Madhi SA, Cohen C. Impact of monovalent rotavirus vaccine in South Africa during the first two years after introduction.
- Mwenda JM. Forging ahead with rotavirus surveillance in the African region in support of rotavirus vaccine introduction.
- Kirsten M. Overview of intussusception in African children pre-rotavirus vaccine introduction.
- Groome M, Patel M, Parashar U. Post-marketing intussusception monitoring after introduction of oral rotavirus vaccines.
- Mpabalwani EM, Chitambala P, Chibumbya NJ, Matapo B, Mutambo H, Mwenda JM, Munkonge L. Baseline survey of intussusception rates in nine Zambian hospitals, 2007 – 2012: Pre-rotavirus vaccine introduction.
- Seheri LM, Peenze I, Nemarude L, Netshifhefhe L, Nyaga M, Ngobeni H, Maake LL, Kiulia N, Nyangao J, Esona MD, Page NA, Mphahlele MJ, Mwenda JM, Steele AD. Update of rotavirus strains circulating in Africa from 2007 through 2011.
- Bowen MD. Detection of rotavirus vaccine strains in post marketing surveillance programs.
- Esona MD. Strategies to genotype rotavirus untypeable strains.
- Page AL, Jusot V, Mamaty AA, Adamou L, Kaplon J, Pothier P, Djibo A, Manzo ML, Toure B, Langendorf C, Collard JM, Grais RF. Burden and epidemiology of rotavirus diarrhea: Results of a prevalence study in Niger.
- Hokororo A, Mshana S, Daffi J, Kazoka A, Kamugisha C, Mwengee W. Rotavirus-associated diarrhoea among children less than 5 years of age at a tertiary hospital in North-Western Tanzania.
- Bikoy JT. Assessment of GAVI co-financing and EPI financial sustainability in Cameroon (2008 – 2015).
- Chilengi R, Rudd C, Dube S. Accelerating rotavirus immunization in Zambia: The role of PPP in health.
- Dadzie JF. Multiple vaccine introductions into routine immunization – Ghana’s experience. Surveillance for diarrheal disease in preparation of evaluation of the impact and effectiveness of pentavalent rotavirus vaccine in Rwanda.
- Ngabo F, Donnen P, Binagwabo A. Surveillance for diarrhoeal disease in preparation of evaluation of the impact and effectiveness of prevalent rotavirus vaccine in Rwanda

#### Poster presentations:

- Abebe A, Teka T, Kassa T, Lemma E, Mekasha A, Beyene B, Teshome B, Kebede F, Habtamu A, Seheri M, Mitiku K, Kegne W, Mkanda P, Mwenda JM. Hospital-based surveillance of rotavirus gastroenteritis in children less than five years of age in 2007-2012 in Addis Ababa, Ethiopia.
- Akran V, Akoua-Koffi C, Ahui D, Signo P, Ouattara A, Kouassi KS, Gokou Y, Diop O, Dosso M, Steele AD. Emergence and characterization of atypical rotavirus strains from a suburban hospital in Dabou, Cote D' Ivoire in 2009.
- Bangué V, Omon-Kongombe O, Gody JC, Mwenda J, Daba RM, Manirakiza A, Fandema J, Waku-Kouomou D, Esona MD, Gouandjika-Vasilache I. Rotavirus VP4 and VP7 genotypes circulating in Bangui, Central African Republic, 2008 – 2012.
- Boula A, Njiki Kinkela M, Atangana PJA, Kobela M, Dongmo F, Emah I, Mekontso D, Ela S, Olinga JM, Kemajou G, Mwenda JM, Seheri LM, Koki Ndombo P. Epidemiological surveillance of rotavirus in children under five years in Yaoundé, Cameroon from 2008 to 2011.
- Breugelmans G, Chenge H, Pierson L, Gessner B, Kebela-Ilunga B, Myembe-Tamfum JJ. Burden of severe gastroenteritis and rotavirus in the Democratic Republic of Congo, 2006 – 2010.
- Chipungu J, Rudd C, Chilengi R. Utilizing existing community structures to promote uptake of new vaccines: Experiences from the rotavirus vaccine introduction in Kafur District, Zambia.
- Chukwubike C, Tagbo B, Nwodo C, Ezeonyebuchi M. Detection and characterization of rotavirus in Enugu, Nigeria.
- Enweronu-Laryea CC, Damanka S, Lartey B, Sagoe KW, Armah GE. Diversity of rotavirus genotypes circulating among children less than 5 years in Southern Ghana.
- Esona MD, Mijatovic-Rustempasic S, Yen C, Parashar UD, Gentsch JR, Bowen MD, LaRussa P. Shedding of rotavirus vaccine strains and PCV-2 DNA by Rotateq® recipients.
- Fodha I, Chouikha A, Ben Hadj Fredj M, Boujaafar N, Trabelsi A, Steele AD. Group A rotavirus strains circulating in Tunisia over a 15-year period (1995-2009).
- Fodha I, Chouikha A, Ben Hadj Fredj M, Boujaafar N, Trabelsi A, Steele AD. Lack of association between G/P rotavirus genotypes and clinical syndrome.
- Jerbi A, Fodha I, Ben Haj Khelifa A, Ben Hadj Fredj M, Trabelsi A. Rotavirus detection in formalin-fixed paraffin-embedded intestinal tissue from an infant with intussusception.
- Jere KC, Mlera L, O'Neill HG, Peenze I, Van Dijk AA. Whole genome sequence analyses of three African bovine rotaviruses reveal that they emerged through multiple reassortment events between rotaviruses from different mammalian species.
- Jere KC, O'Neill HG, Van Dijk AA. Generation of chimateric rotavirus virus-like particles from consensus sequences of African rotavirus strains directly from stool samples.
- Kiulia NM, Seheri LM, Nyaga M, Esona MD, Irimu G, Inoti M, Gatitu Bw, Njenga PK, Mwenda JM, Taylor MB, Nyachio A. Epidemiological and clinical features of rotavirus among children younger than 5 years of age hospitalized with acute gastroenteritis in Meru, Maua, Kenya.
- Maake LL, Seheri LM, Selabe GS, Dooka B, Moche P, Steele AD, Mphahlele MJ. Sequence analysis of VP7 (genome segment 9) of the epidemic G2 rotavirus strains over a 2-year period (1984 – 2009) at Dr George Mukhari Hospital.

- Magagula NB, Ngubane G, Molokomme D, Nemarude AL, Seheri LM, Steele AD, Mphahlele MJ. Epidemiology of group A rotavirus in children <5 years of age attending Oukasie Primary Healthcare Facility in Brits during 2009 – 2010.
- Mpabalwani EM, Chibumba JS, Mwaka M, Matapo B, Mutambo H, Mwenda JM, Mukonka V. Progress of surveillance for rotavirus disease burden to support vaccine introduction in Zambia.
- Mukaratirwa A, Berejena C, Nziramasanga P, Shonai A, Mamvura T, Chibukira P, Mucheuki I, Chamboko U, Kamupota M, Manangazira P, Tapfumane R, Gerege R, Munyoro M, Gonah X, Maruta A, Tengende X. Progress of rotavirus surveillance to support rotavirus vaccine introduction in Zimbabwe.
- Mwengee W, Mchomvu J, Kakuri O, Mphahlele MJ. Prevalence of human rotavirus genotypes in Tanga City, Tanzania, 2008 – 2011.
- Nadan S, Netshikweta R, Kruger T, Mapuroma F, Moyes J, Cohen C, Madhi S, Page NA. An evaluation of the prevalence of enteric pathogens in rotavirus-vaccinated patients in South Africa.
- Naudé LA, Albertyn J, Van Dyk AA, O'Neill HG. Cloning of the open reading frames encoding structural proteins, VP2 and VP6, of a South African G9P[6] rotavirus strain in a wide-range yeast expression vector.
- Ndze VN, Esona MD, Akum AE, Papp H, Hortense GK, Banyai K, Therese OAM. Emergence of genotype G12 rotavirus strains in Cameroon.
- Ngendahayo E, Bonane A, Ntakiyiruta G, Munyanshongore A, Muganga N. Preparing for safety monitoring after rotavirus vaccine implementation: A retrospective review of intussusception cases among children at a large teaching hospital in Kigali, Rwanda, 2009 – 2012.
- Ngoveni HG, Peenze I, Seheri LM, Mphahlele MJ. Genetic analysis of avian rotaviruses in Limpopo rural communities: An unusual detection of human-like group A, group F and group G rotaviruses.
- Nkongolo A, Coulibaly T, Mwenda J, Mpukuta E, Nyembwe M, Muyembe JJ, Tubijinga V, Mbule A, Katoba E, Kitambala G, Mailhot M, Coulibaly AD, Seheri LM, Mphahlele MJ, Mondonge V, Waku-Kouomou D, Esona MD, Cavallaro KF, Gentsch JR, Dahl BA, Bazira L, Bowen MD. Circulating rotavirus strains in Democratic Republic of the Congo 2009 to 2011: Sentinel surveillance findings.
- Nyaga MM, Peenze I, Jere KC, Van Dijk AA, Seheri LM, Mphahlele MJ. Next generation sequencing: Global trends for the whole genome of strain G9P[8] and G9P[6] rotaviruses.
- Nyangao JO, Ngeranwa J, Kenya EU, Esona MD, Seheri LM, Page N, Okoth FA, Mwenda J, Mphahlele MJ, Armah GE, Steele AD. Detection and molecular characterization of a human rotavirus G8P[14] genotype of animal origin in Kenya.
- Nyanhama MN, Machoki SM, Osawa F, Mwenda JM, Kiulia NM. Intussusception in Kenya: A review and future studies.
- Page AL, Adamou L, Kaplon J, Jusot V, Mamaty AA, Djibo A, Manzo ML, Toure B, Langendorf C, Pothier P, Collard JM, Grais RF. Evolution of rotavirus genotypes during a two-year surveillance study in the city of Niamey and the region of Maradi, Niger.
- Page N, Seheri LM, Kruger T, Peenze I, Nadan S, Mapuroma F, Cohen C, Madhi S. Genotype distribution of rotavirus strains after the introduction of the rotavirus vaccine in South Africa in August 2009.

- Peenze I, Page NA, Botha P, Steele AD, Potgieter CA. Rotavirus group H detected in an asymptomatic piglet stool sample and phylogenetically analysed closest to the Japanese Porcine SKA-1 strain.
- Pursem VN, Peeroo C, Mangar T, Sohawon F, Seheri LM, Mphahlele MJ, Menda JM, Manraj S. Epidemiology of rotavirus diarrhoea and diversity of rotavirus strains among children <5 years of age with acute gastroenteritis in Mauritius: Surveillance study from June 2008 to December 2010.
- Rudd C, Chilengi R, Kalsha-Masumbu P. Using EVM to strengthen the national cold chain capacity – experience from Zambia.
- Tigossou S, Dagnra A, Tsolenyanu E, Salou M, Nassoury D, Adjeoda K, Kpinsaga A, Seheri M, Esona MD, Atakouma MYD, Armah G, Mwenda JM, Prince David M, Mphahlele MJ. Genetic diversity of rotavirus strains in children under five years old in Togo from 2008 to 2010.
- Tsolenyanu E, Seheri M, Dagnra A, Koffi KS, Alihonou A, Tigossou S, Nassoury I, Adjeoda E, Armah G, Mwenda JM, Atakouma Y, Prince-David M. Epidemiological aspects of rotavirus gastroenteritis and direct cost of its management at Sylvanus Olympio Teaching Hospital in Lome, Togo.
- Shaanyenange NK, Seheri LM, Peenze I, Netshifhefhe L, Moche P, Steele AD, Mphahlele MJ. Rotavirus diarrhoea in children less than 5 years of age attending at Dr George Mukhari Hospital in 2010, following the introduction of rotavirus vaccine.
- Uwimana J, Muganga N, Ndayambaje B, Surwumwe JB, Nsenguwera AY, Umutesi A, Nyiraminani V, Nkubana T, Hakizimana B, Uwase MA, Gasana P, Munganyinka J, Gouandjika I, Seheri LM, Nemarude L, Netshifhefhe L, Mphahlele MJ, Mukamusoni A, Rugambwa C, Malifa BM, Mwenda J, Gatera M, Ngabo F, Mutesa L. Sentinel hospital-based surveillance to estimate the burden of rotavirus gastroenteritis among children under five in five sites in Rwanda.
- Wada-Kura A, Olonitola OS, Mijatovic-Rustempasic S, Esona MD, Abubakar AG, Bowen MD, Aminu M. Molecular characterization of rotavirus detected in diarrhoeic children less than five years of age in Kano State, Nigeria.